

ALPINE
Driving Mobile Media Innovation



ALPINE NEW ADD-IN SOUND SYSTEM

UTX-A09

ADD IN HI-RES AUDIO PLAYER



Alpine's unique separated structure design allows installation into various kinds of cars

- Retains the ability to play the original sound source
- 2.4 inch TFT display
- 192kHz/ 24Bit Hi-Res source playback
- Lossless file format playback (FLAC/ APE/ WAV)
- Bluetooth hands-free and audio streaming
- Compatible with Alpine "Tunelt" Application
- Steering wheel remote control (optional)
- 4V/ 3Pre output
- Front/Rear Dual USB ports for mass storage playback
- USB capable to connect to iPod/iPhone & MPT
- SPDIF/ Opt output
- 9-Band Parametric EQ
- 2/3 way crossover setting
- 6 CH Digital Time correction



GET IT ON
Google Play



Available on the
App Store

PXE-X09

16-CHANNEL SOUND PROCESSOR

- 216 kHz/ 24Bit Hi-Res source signal input, 96 kHz/ 24Bit output
- 16 CH RCA/ high level hybrid analog input
- 16 CH RCA audio signal output
- Optical coaxial digital/ Bluetooth signal input
- High level, audio signal input, 10 band EQ gain and phase tunable
- Signal output 31 band PEQ, GEQ, Time correction on all 16 CH
- Summing of various signal frequencies (High to Low)
- Simultaneous (Mix) play of selectable main and auxiliary input sources
- Remote commander included for easy and safe operation
- Tuning via smartphone app/ pc software



Available on the
App Store

PWD-X5

ALL-IN ONE COMPACT : POWERED 4 CHANNEL DSP AMP. SUBWOOFER



Available on the App Store



- 8-inch subwoofer, amplifier and DSP
- Work with IOS, Android, and Desktop PC Tuning software
- Bluetooth audio streaming
- Remote controller included
- 4 RCA/ speaker level inputs

- 10-Band Parametric EQ
- Digital Time correction
- 25W X 4 + 165W RMS
- 50W X 4 + 240W peak
- Dimension : 350 x 245 x 80 mm

PDP-E800DSP

HIGH POWER (700W) : 8 CHANNEL DSP AMPLIFIER

- 6 high-level inputs for OEM system integration
- 6 analog Pre-Amp (RCA)
- 1 digital TOSLINK/SPDIF input
- Up to 8 speaker outputs
- BurrBrown A/D conversion
- Total power 700 Watt RMS at 4 ohm
- 200 Watt at 2 ohm (2 channels in parallel mode)
- 100 Watt per channel at 4 ohm
- 120 Watt per channel at 2 ohm
- 30-band Graphic EQ
- Digital X-Over for each channel
- Delay on each channel



RUX-KNOB.2

- Master Level
- Sub Level



GET IT ON
Google Play

Available on the
App Store





	PDP-E800DSP	PXE-X09
Input	6-CH high level / RCA /optical coaxial	16-CH high level / RCA /optical coaxial / Bluetooth
Output	8-CH speaker out	16-CH RCA
AMP.	Total 700 Watt RMS at 4 Ohm	-
Frequency response	20Hz-22KHz	20Hz-20KHz
Remote control	iPhone / Android phone / RUX-KNOB.2	Included
Parametric EQ	240-Band	31-Band Parametric EQ
Crossover	8-CH Crossover	16-CH Crossover
Delay time (Time correction)	8-CH Digital Time Correction	16-CH Digital Time Correction
Dimension (mm)	220 x 50 x 150	246.9 x 211.1 x 58



	UTX-A09
Media	Radio / USB / iPod / iPhone / Bluetooth / AUX
File format support	MP3/ WAM/ AAC/ FLAC/ WAV/ APE
Output	Speaker output / Pre out/ Optical out
Pre out	4V / 3Pre out
Bluetooth	Hand-free/ audio streaming
Parametric EQ	9-Band Parametric EQ
Digital Time correction	6-CH Digital Time Correction
Crossover	2/3 Ways setting
Steering Remote	optional

	PWD-X5
Size	8 inch Subwoofer
Input	4 CH high-level/ 4 CH RCA / Bluetooth
Frequency response	20Hz-20KHz
Peak power	50W x 4 + 240W peak
RMS power	25W x 4 + 165W RMS
Parametric EQ	10-Band Parametric EQ
Digital Time correction	6-CH Digital Time Correction
Crossover	HPF/LPF
Dimension (mm)	350 x 80 x 245



WEBSITE



FACEBOOK

ALPINE
Driving Mobile Media Innovation

www.alpine-asia.com
ALPINE ELECTRONICS OF ASIA PACIFIC CO., LTD.
555 Rasa Tower 1, Unit 2601 - 2602, 26th Floor
Phaholyothin Rd. Chatuchak, Bangkok, Thailand 10900
Tel : +662-937-0505 Fax : +662-937-0569